

hansgrohe

Life is waterful.



Installation technology

pro.hansgrohe.com

Basic sets for all bathroom uses

Fast, flexible, safe



iFrame universal



Contents

- 4 Brand hansgrohe
- 8 **iBox universal 2**
- 16 Finish sets
- 23 Product overviews
- 30 **uBox universal**
- 36 RainDrain
- 51 Product overviews
- 56 **Tubset universal**
- 59 Exafill, Flexaplast
- 61 Product overviews
- 62 **iFrame universal**
- 64 Toilets and flush plates
- 67 Product overviews
- 72 **Technologies and spray modes**

iBox universal 2

uBox universal

Tubset universal

Choose hansgrohe. Here's why.



Innovation

For more than 125 years, Hansgrohe has led the way in shaping water. From the porcelain hand shower (1928) to PowderRain and the latest breakthroughs from our Spray and Sound Labs, we continually transform cutting-edge research into superior water experiences. We apply this same engineering excellence to pioneering innovations such as the iBox universal 2, constantly rethinking functionality to simplify planning and installation while giving specialist partners greater flexibility and confidence.

Design

Backed by more than 800 international design awards, Hansgrohe has built a global reputation for human-centered design that combines clean, modern lines with intuitive interaction, outstanding durability, and aesthetic appeal. In longstanding partnership with leading design studio PHOENIX, renowned for balancing functionality with emotional “magic”, we extend this philosophy across the bathroom, empowering customers and partners with complete portfolios that create new water experiences.

Quality

At hansgrohe, we design, build and service for longevity. Made from materials carefully selected for reliability, every product undergoes rigorous testing and inspections to ensure lasting safety, durability and performance. But that's just the beginning. With 15-year spare parts availability, warranties of up to 20 years, ready access to master technicians, hands-on training, digital planning tools, and dedicated partner programs, our commitment to quality covers the entire product lifecycle.

Responsibility

Our ambition is to equip all water-bearing hansgrohe product portfolios with water- or energy-saving technologies by 2030. Specifically, this means offering water- and/or energy-saving alternatives across our water-bearing product portfolio that combine resource efficiency with an exceptional water experience while reducing water and/or energy consumption during use. Technologies such as EcoSmart, EcoSmart+, CoolStart, EcoSelection and SensorActivation are already helping us achieve this ambition. More information about our technologies, see page 74.

125
YEAR
ANNIVERSARY





“When professionals need support, they can rely on experts who understand their challenges. With deep technical knowledge and real-world experience, we provide practical advice and support when it matters most.”

Hubert Brandl, hansgrohe Technical Service Center

Our service – premium quality for you

Built to last – guaranteed quality and long-term support

- 5 year voluntary manufacturer's guarantee as standard, with up to 20 years on selected ceramic products and 2 years on electronics, for total peace of mind
- 15 year spare parts availability ensures products remain serviceable long-term
- Fast, easy access to spares online via our website



Find out more about the manufacturer's guarantee!



Order spare parts online!



Expert support – whenever you need it

- 24/7 access to master technicians for planning, installation & maintenance
- Live PRO Video Service for instant, on-site problem solving
- Expert guidance ensures correct installation and long-term performance

Learn by experience – training, showrooms and live product testing

- Tailored training programmes and e-learning for plumbing professionals
- Explore products and innovations first-hand at our training and experience centres
- Develop installation expertise and customer advisory skills to deliver better project outcomes




Discover our seminars!

Everything in one place – tools, information & rewards for professionals

- Central PRO website with product data, prices, planning tools & expert tips
- Connected experience via app or website for easy access anytime, anywhere
- Integrated rewards programme to collect and redeem benefits directly for your business



Discover our partner programs!





iBox universal 2

Efficient installation offering maximum flexibility




The iBox universal 2 offers numerous new and impressive features for added simplicity, safety, and comfort, both during installation and beyond.



Installation information


- Basic set: hot water connection on the left, cold water connection on the right
- Installation depth: **80 mm to 108 mm**
- Application: The basic set can be fitted to suit the structural conditions. The iBox universal 2 is suitable for both bathtubs and showers.
- Unused outlet in shower installations: must be sealed with a plug
- Mounting flexibility: The rotation-symmetrical basic set can be installed horizontally or vertically



Sinks

Flush complete installation as per DIN 1988/EN 1717. The arrows on the flushing block indicate which inlet is connected to which outlet pipe, for instance cold water to outlet 1 and hot water to outlet 2. If only one outlet is required, then the flushing block needs to be rotated by 90° after the first flush.


Perfect interplay: hansgrohe finish sets for iBox universal 2



Every installation becomes child's play with the hansgrohe finish sets and the iBox universal 2. The innovative basic set for concealed thermostats ensures quick and simple installation. If the thermostat needs to be replaced further down the line, this is also no issue – all finish sets can be replaced by another without major effort. The iBox universal is compatible with all current hansgrohe finish sets.

“The time saved on the job site is huge, during both initial installation and final assembly at the end.”

Maike Weinhardt, Hiller Sanitär- und Heizungstechnik KG, Germany



How to install the iBox universal 2 step by step

The individual installation steps are now even easier and faster to complete with the iBox universal 2: Be more flexible with the installation and on the safe side when it comes to waterproofing and avoiding errors.

The latest evolution of the iBox universal makes life easier for installers.



- 1 Undo the set screws and remove the mounting ring.



- 4 The small spirit level should be used as an aid for initial alignment, but the iBox universal 2 must be precisely aligned using a spirit level or mounting aid.



- 2 Install the connection fittings.
PRO tip: Clamp the pipe nipple for a secure fit.



- 5 Keep the protective cap inserted, adjust the sliding sleeve to the wall depth, and coordinate installation with the required wall construction.



- 3 Affix the mounting ring and then fit the iBox universal 2.



- 6 For crease free assembly – clean and dry the surface, apply a primer, then remove the backing and press the sealing collar firmly onto the wall. Re-apply the protective cap to maintain the shape of the sliding sleeve. Slight final adjustments can still be made to the sliding sleeve once the tiler has finished.



Watch installation
video!

How to install the hansgrohe finish set step by step:



- 1** Remove the protective cap and take out the flushing block.



- 5** Attach seal profiles.
PRO tip: Lubricate the back of the seals before fitting. This helps the seals adhere to the valve body, allowing the metal plates to be installed more easily and accurately.



- 2** Install and fit the function block.



- 6** Fit the buttons, volume control, and thermostatic mixer handle.



- 3** Loosen the locking mechanism, align and set the carrier escutcheon. Press on the carrier escutcheon and lock back in place.



- 7** Place the flow ring with the notch facing forward.




- 4** Set the depth and actuate the Select valves.




- 8** Set the temperature to 40 degrees Celsius and click the handle into place.

Easy installation for any mounting method – the options


The rotation-symmetrical basic set of the iBox universal 2 can be used universally – horizontally or vertically. It can be installed in front of, on or in the wall, and on carrier systems or installation plates to suit the structural conditions. The iBox universal 2 is suitable for installing baths and showers. Here are a few installation examples:




Installation on the wall



Installation in front of the wall
(here using variable spacers with M 10 hanger bolts)




Installation on a carrier system



Installation directly in the wall




Installation with a set of mounting rails



Rotation-symmetrical installation

The symmetrical design ensures all connections are the same. It is important that cold water is connected on the right and hot water on the left. Either the upper or lower outlet can be connected for use as a shower tap.



Wall flange extension

The extension ensures that even shallow installation depths are no longer an issue. The extension wall flange enables the iBox universal 2 to be installed even in shallow walls.

Extension finish
see product overview.

Finish sets for concealed installation

Minimalistic controls for showers and bathtubs, designed for mounting on the iBox universal 2. Our ultra-flat thermostats and mixers declutter the wet area—making them ideal for accessible bathrooms, too.



Thermostat: ShowerSelect Comfort

The elegant design turns the shower into a beautiful eye-catcher and brings a new dimension of comfort into the bathroom. Reliable hansgrohe thermostat technologies ensure a soothing, safe shower experience.



Outlets: 1-4



Finishes

- Chrome 000
- Brushed Bronze 140
- Brushed Black Chrome 340
- Matt Black 670
- Matt White 700



Discover all compatible finish sets for iBox universal 2!



Thermostat: Ecostat Comfort

An attractive concealed thermostat for the shower and bath tub that controls up to two outlets. It refines the bathroom through intuitive operation and minimalist aesthetics – in three shapes and six colours.

Shower and bath mixers for each product range
see product overview.

Outlets: 1-2



Finishes

-  Chrome 000
-  Brushed Bronze 140
-  Brushed Black Chrome 340
-  Matt Black 670
-  Matt White 700
-  Polished Gold Optic 990

Mixer: DuoTurn

This new generation of concealed mixers combines simple controls with clear, universal design – both in the shower and bath tub. Your customers can easily switch between the hand shower and the overhead shower – highly convenient.



Outlets: 1-2



Finishes


-  Chrome 000
-  Brushed Bronze 140
-  Matt Black 670
-  Matt White 700



Installation types


The shower configuration determines the choice of mixer. Consider the number of outlets, the type of shower components installed, and any requirements for individual outlet or spray mode control when selecting the appropriate solution.

Concealed installation 1 function




- ① Shower set with shower bar
- ② Thermostat/Mixer for concealed installation for 1 function
+ Basic set iBox universal 2
- ③ Wall outlet


Concealed installation 2 functions



- ① Overhead shower 1jet with wall connector
- ② Shower holder set with shower hose
- ③ Thermostat/Mixer for concealed installation for 2 functions
+ Basic set iBox universal 2
- ④ Wall outlet

Concealed installation 3 functions


- ① Overhead shower 2jet with wall connector
+ Basic set iBox universal 2
- ② Shower holder set with shower hose
- ③ Valve for concealed installation for 3 functions
+ Basic set iBox universal 2
- ④ Thermostat/Mixer for concealed installation
+ Basic set iBox universal 2
- ⑤ Wall outlet

Concealed installation 4 functions

- ① Overhead shower 3jet with wall connector
+ Basic set iBox universal 2
- ② Shower holder set with shower hose
- ③ Valve for concealed installation for 3 functions
+ Basic set iBox universal 2
- ④ Thermostat for concealed installation for 1 function
and additional outlet
+ Basic set iBox universal 2
- ⑤ Wall outlet


Installation types

Bath tub concealed installation



- ① Wall outlet
- ② Shower holder set with shower hose
- ③ Thermostat/Mixer for concealed installation for 2 functions with integrated security combination according to EN1717 + Basic set iBox universal 2
- ④ Complete set bath filler, waste and overflow set for bathtub

Bath tub rim concealed installation



- ① Thermostat/Mixer for concealed installation for 2 functions with integrated security combination according to EN1717
+ Basic set iBox universal 2
- ② Hand shower
- ③ sBox Finish set
+ Basic set sBox
- ④ Complete set bath filler, waste and overflow set for bathtub




This square ShowerSelect Comfort E thermostat controls two outlets: An overhead shower and a hand shower.
Geometric shower range: Pulsify E. Colour: Brushed Bronze.



iBox universal 2



-  Chrome
000
-  Brushed Bronze
140
-  Brushed Black Chrome
340
-  Matt Black
670
-  Matt White
700



Water Damage Protection

iBox universal 2 and additions



iBox universal 2
Basic set
01500180



Fastening rail set
for iBox universal 2
96615000



Extension iBox universal 2
basic set 25 mm
13637000



Extension finish sets 25–75 mm
13632000



Extension finish sets 25 mm
13638000



Assembly aid
for iBox universal 2
93500000



Extension finish sets 25–75 mm
13652000



Extension finish sets 25 mm
13651000

Finish set additions



Extension element E 5 mm
13612XXX

Extension element E 22 mm
13617XXX




Extension element Q 5 mm
13613XXX

Extension element Q 22 mm
13618XXX




Extension element S 5 mm
13614XXX

Extension element S 22 mm
13624XXX




Adapter for extension element
E/Q
13628000



Adapter for extension element S
13631000



Adapter for extension element
square 5 mm
13658000



Adapter for extension element
square 22 mm
13654000



Adapter for extension element
round 5 mm
13657000



Adapter for extension element
round 22 mm
13653000



ShowerSelect Comfort



- Chrome 000
- Brushed Bronze 140
- Brushed Black Chrome 340
- Matt Black 670
- Matt White 700

- SafetyStop
- Select
- Thermostat
- Water Flow Control

1 function



ShowerSelect Comfort S
Thermostat for concealed
installation for 1 function
15553XXX
● ● ● ● ●



ShowerSelect Comfort Q
Thermostat for concealed
installation for 1 function
15581XXX
● ● ● ● ●



ShowerSelect Comfort E
Thermostat for concealed
installation for 1 function
15571XXX
● ● ● ● ●

2 functions



ShowerSelect Comfort S
Thermostat for concealed
installation for 2 functions
15554XXX
● ● ● ● ●

Thermostat for concealed
installation for 2 functions
with integrated security
combination according
to EN1717
15556XXX
● ● ● ● ●



ShowerSelect Comfort Q
Thermostat for concealed
installation for 2 functions
15583XXX
● ● ● ● ●

Thermostat for concealed
installation for 2 functions
with integrated security
combination according
to EN1717
15586XXX
● ● ● ● ●



ShowerSelect Comfort E
Thermostat for concealed
installation for 2 functions
15572XXX
● ● ● ● ●

Thermostat for concealed
installation for 2 functions
with integrated security
combination according
to EN1717
15578XXX
● ● ● ● ●



ShowerSelect Comfort

3 functions



ShowerSelect Comfort S

Valve for concealed installation for 3 functions

15558XXX



+



ShowerSelect Comfort S

Thermostat for concealed installation

15559XXX



ShowerSelect Comfort Q

Valve for concealed installation for 3 functions

15587XXX



+



ShowerSelect Comfort Q

Thermostat for concealed installation

15588XXX



ShowerSelect Comfort E

Valve for concealed installation for 3 functions

15573XXX



+



ShowerSelect Comfort E

Thermostat for concealed installation

15574XXX



4 functions



ShowerSelect Comfort S

Valve for concealed installation for 3 functions

15558XXX



+



ShowerSelect Comfort S

Thermostat for concealed installation for 1 function and additional outlet

15562XXX



ShowerSelect Comfort Q

Valve for concealed installation for 3 functions

15587XXX



+



ShowerSelect Comfort Q

Thermostat for concealed installation for 1 function and additional outlet

15589XXX



ShowerSelect Comfort E

Valve for concealed installation for 3 functions

15573XXX



+



ShowerSelect Comfort E

Thermostat for concealed installation for 1 function and additional outlet

15575XXX





Ecostat Comfort



-  Chrome
000
-  Brushed Bronze
140
-  Brushed Black Chrome
340
-  Matt Black
670
-  Matt White
700
-  Polished Gold Optic
990

-  SafetyStop
-  Thermostat
-  Water Flow Control

1 function



Ecostat Comfort S
Thermostat for concealed
installation for 1 function
33714XXX




Ecostat Comfort Q
Thermostat for concealed
installation for 1 function
33712XXX




Ecostat Comfort E
Thermostat for concealed
installation for 1 function
33710XXX


2 functions



Ecostat Comfort S
Thermostat for concealed
installation for 2 functions
33715XXX

Thermostat for concealed
installation for 2 functions
with integrated security
combination according
to EN1717
33718XXX




Ecostat Comfort Q
Thermostat for concealed
installation for 2 functions
33713XXX

Thermostat for concealed
installation for 2 functions
with integrated security
combination according
to EN1717
33717XXX




Ecostat Comfort E
Thermostat for concealed
installation for 2 functions
33711XXX


Thermostat for concealed
installation for 2 functions
with integrated security
combination according
to EN1717
33716XXX




DuoTurn



-  Chrome
000
-  Brushed Bronze
140
-  Matt Black
670
-  Matt White
700



Water Flow Control

1 function



DuoTurn S
Mixer for concealed
installation for 1 function
75618XXX




DuoTurn Q
Mixer for concealed
installation for 1 function
75614XXX




DuoTurn E
Mixer for concealed
installation for 1 function
75617XXX


2 functions



DuoTurn S
Mixer for concealed
installation for 2 functions
75418XXX




DuoTurn Q
Mixer for concealed
installation for 2 functions
75414XXX





DuoTurn E
Mixer for concealed
installation for 2 functions
75417XXX




Security combination
according to EN 1717
13077000

Single lever bath mixer

Q2/27



-  Chrome
000
-  Brushed Bronze
140
-  Brushed Black Chrome
340
-  Matt Black
670
-  Matt White
700
-  Polished Gold Optic
990

 Select



Metropol

Single lever bath mixer
for concealed installation
for iBox universal 2

32451XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

32454XXX





Vivenis

Single lever bath mixer
for concealed installation
for iBox universal 2

75408XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

75407XXX





Talis E

Single lever bath mixer
for concealed installation
for iBox universal 2

71742XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

71743XXX





Focus

Single lever bath mixer
for concealed installation
for iBox universal 2

31425000



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

31495000





Zesis S

Single lever bath mixer
for concealed installation
for iBox universal 2

74414XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

74419XXX





Rebris S

Single lever bath mixer
for concealed installation
for iBox universal 2

72498XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

72499XXX





Rebris E

Single lever bath mixer
for concealed installation
for iBox universal 2

72484XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

72485XXX





Logis

Single lever bath mixer
for concealed installation
for iBox universal 2

71494XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

71495XXX





Vernis Blend

Single lever bath mixer
for concealed installation
for iBox universal 2

71490XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

71491XXX





Vernis Shape

Single lever bath mixer
for concealed installation
for iBox universal 2

71492XXX



Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

71493XXX





Neovis Q

Single lever bath mixer
for concealed installation
for iBox universal 2

71478000




Single lever bath mixer
for concealed installation
with integrated security
combination according to
EN1717 for iBox universal 2

71479000



Single lever shower mixer

Q2/27



-  Chrome
000
-  Brushed Bronze
140
-  Brushed Black Chrome
340
-  Matt Black
670
-  Matt White
700
-  Polished Gold Optic
990



Metropol

Single lever shower mixer
for concealed installation
for iBox universal 2

32651XXX



Vivenis

Single lever shower mixer
for concealed installation
for iBox universal 2

75613XXX



Talis E

Single lever shower mixer
for concealed installation
for iBox universal 2

71769XXX



Focus

Single lever shower mixer
for concealed installation
for iBox universal 2

31699000



Zesis S

Single lever shower mixer
for concealed installation
for iBox universal 2

74619XXX



Rebris S

Single lever shower mixer
for concealed installation
for iBox universal 2

72660XXX



Rebris E

Single lever shower mixer
for concealed installation
for iBox universal 2

72657XXX



Logis

Single lever shower mixer
for concealed installation
for iBox universal 2

71615XXX



Vernis Blend

Single lever shower mixer
for concealed installation
for iBox universal 2

71665XXX



Vernis Shape

Single lever shower mixer
for concealed installation
for iBox universal 2

71664XXX



Neovis Q

Single lever shower mixer
for concealed installation
for iBox universal 2

71684000




uBox universal

One base set for all shower drain solutions



The uBox universal is the foundation for all RainDrain shower drains, giving you one reliable solution across multiple designs. This standardised approach simplifies planning, reduces complexity on-site, and ensures a safe, consistent installation. Designed with installers in mind, the system offers high drainage performance, minimal installation depth, and easy maintenance thanks to removable components and low dirt adhesion. Proven sealing technologies and Dryphon performance ensuring long-term reliability.






uBox universal: built for every installation need

New construction

uBox universal for standard installation

01001180

Water seal height: 50 mm
 Minimum installation height: 75 mm
 Siphon drainage capacity: up to 42 l/min (as per EN 1253)
 Dryphon drainage capacity: up to 60 l/min




Renovation

uBox universal for flat installation

01000180

Water seal height: 30 mm
 Minimum installation height: 57 mm
 Siphon drainage capacity: up to 33 l/min
 Dryphon drainage capacity: up to 55 l/min




Vertical outlet

uBox universal for vertical installation

01002180

Water seal height: 50 mm
 Minimum installation height: -
 Siphon drainage capacity: up to 42 l/min (as per EN 1253)
 Dryphon drainage capacity: up to 60 l/min



At the wall



Free in floor


Dryphon: drainage reinvented

The design of the Dryphon and its high flow rate prevent dirt and hair from attaching, minimising cleaning efforts. The patented design offers a significant improvement in drainage capacity up to 60 litres per minute, exceeding all standard requirements and regulations.

The Dryphon system opens and closes using a flexible membrane, allowing water to flow through while preventing odors and gases from the drainage system escaping. Unlike traditional traps that rely on a water seal, the Dryphon system cannot dry out, ensuring reliable odor protection and pressure regulation at all times.



hansgrohe siphon technology

- High drainage capacity up to 42 l/min
- Low dirt adhesion, as manufactured without seams
- Easy to clean, as can be dismantled
- Removable
- Minimal installation depth



hansgrohe Dryphon technology

- Significantly higher drainage capacity up to 60 l/min
- Durable and temperature-resistant membrane
- Minimal cleaning required, no siphon resistance
- Removable
- Minimal installation depth
- Full odor barrier
- Cannot dry out




Higher drainage capacity combined with minimum cleaning effort.

Secondary drainage

With the RainDrain Match and Brilliance, the height-adjustable frame is not only used to level to tile thickness, but also for secondary drainage. With secondary drainage, water entering through the sealing joints or faulty tile joints will drain into the shower channel thanks to the slope.



For secondary drainage, the entire wet area must be professionally sealed and no sealing must be applied below the service joint between the frame and the installation set.




Pre-assembled sealing membrane as per DIN 18534

Planners and contractors are required to comply with numerous works contract provisions. The pre-assembled sealing membrane was developed as a standard to prevent mistakes when installing shower drains in combination with water-proofing system.

Height flexibility

The finish set can be easily adjusted to different heights by using either the grate or the height adjustable frame. The sturdy stainless steel frame adapts to tile thicknesses of 7-18 mm, making installation easy and safe.




Height adjustment



Select suitable height

Easy to clean siphon and surface.



Find out more about Dryphon!

RainDrain: high-quality shower drains. An overview

RainDrain seamlessly fits all dream showers, offering a highly sophisticated solution. With hansgrohe linear and point drains, everything is made to match. With coordinated finishes to showers and mixers, RainDrain delivers the perfect solution for both renovation and new builds – down to the last detail.



Product name	RainDrain Flex	RainDrain Match	RainDrain Rock	RainDrain Compact
Perfect for	Easy to shorten on site	Perfectly flush with the tile thickness	Developed for use with natural stone	Problem solver for renovation projects
Length	700–1200 mm	600–1200 mm	600–1200 mm	600–1200 mm
Finish			tileable inlay	
Installation	Free in floor/Wall	Free in floor/Wall	Free in floor	Free in floor
Min. installation height	63 mm (flat) 81 mm (standard)	80 mm (flat) 98 mm (standard)	80 mm (flat) 98 mm (standard)	43 mm (flat) 63 mm (standard)
Drainage capacity	33 l/min (flat) 42 l/min (standard)	33 l/min (flat) 42 l/min (standard)	33 l/min (flat) 42 l/min (standard)	27 l/min (flat) 37 l/min (standard)
Parts to order	uBox, Finish Set	uBox Installation Set, Finish Set	uBox Installation Set, Finish Set	Complete Set
uBox Technology	■	■	■	—
Dryphon Technology	■	■	■	—
Tileable Grate	—	■	■	■


Suitable for
a wide range of
installation scenarios
due to minimal instal-
lation depth!

					
RainDrain Allround	RainDrain Go	RainDrain Spot, Spot Plus	RainDrain Brilliance	RainDrain Point	RainDrain Staro
Complete waterproof solution	Perfect fit for every project	Maximum place- ment flexibility	Perfectly flush with the tile thickness	Suitable for any bathroom	Waste set for shower tray
700-1200 mm	500-1200 mm	150 mm	100-150 mm	100-150 mm	Ø 113 mm
					
Free in floor	Free in floor	Free in floor	Free in floor	Free in floor	Shower tray
67 mm (flat) 83 mm (standard)	76 mm (flat) 96 mm (standard)	68 mm (Spot) 80 mm (Spot Plus)	75 mm (standard)	56 mm (standard)	80 mm
32 l/min (flat) 33 l/min (standard)	31 l/min (flat) 39 l/min (standard)	35 l/min	35 l/min	41 l/min	57 l/min
Complete Set	Complete Set	Complete Set	Complete Set	Complete Set	Complete Set/ Basic set, Finish Set
—	—	—	—	—	—
—	—	—	—	—	—
—	■	■	■	■	■




RainDrain Flex



Watch installation video!




	Flat	Standard	Vertical
Min. installation height	80 mm	98 mm	-
Drainage capacity	up to 29 l/min	up to 38 l/min	up to 54 l/min
Dryphon capacity	up to 42 l/min	up to 57 l/min	up to 76 l/min








Watch installation
video!

RainDrain Match




	Flat	Standard	Vertical
Min. installation height	57 mm	75 mm	-
Drainage capacity	up to 27 l/min	up to 30 l/min	up to 42 l/min
Dryphon capacity	up to 32 l/min	up to 49 l/min	up to 60 l/min






RainDrain Rock



Watch installation
video!




	Flat	Standard	Vertical
Min. installation height	80 mm	98 mm	-
Drainage capacity	up to 29 l/min	up to 38 l/min	up to 54 l/min
Dryphon capacity	up to 42 l/min	up to 57 l/min	up to 76 l/min






RainDrain Compact



Watch installation
video!




	Flat	Standard
Min. installation height	43 mm	63 mm
Drainage capacity	up to 27 l/min	up to 37 l/min




RainDrain Allround




Watch installation
video!




	Flat	Standard
Min. installation height	57 mm	75 mm
Drainage capacity	up to 27 l/min	up to 30 l/min



RainDrain Allround standard installation




RainDrain Allround flat installation





RainDrain Go



Watch installation
video!





	Flat	Standard
Min. installation height	76 mm	96 mm
Drainage capacity	up to 31 l/min	up to 39 l/min




RainDrain Board



Watch installation
video!




Installation uBox	Flat	Standard	Vertical
Min. installation height	80 mm	96 mm	-
Drainage capacity	up to 55 l/min	up to 39 l/min	up to 42 l/min
Dryphon capacity	up to 32 l/min	up to 49 l/min	up to 60 l/min



RainDrain Spot, Spot Plus




Watch installation
video!




Brushed Stainless Steel




Brushed Stainless Steel
Tileable grate




RainDrain Spot Plus




RainDrain Spot Plus
with tileable grate



RainDrain Spot





RainDrain Spot
with tileable grate




RainDrain Brilliance




Watch installation video!



RainDrain Brilliance
100 mm






RainDrain Brilliance
150 mm



RainDrain Point



Watch installation
video!




Brushed Stainless Steel



Brushed Stainless Steel
Tileable grate



Matt Black
Tileable grate



RainDrain Staro



Removable siphon for easy cleaning

Designed for shower trays with a Ø 90 mm drainage hole. Includes stainless steel flange and screws for secure mounting



High drainage capacity up to 57 l/min, compliant with EN 274 standards

Waste pipe diameter 50 mm, by shortening also 40 mm possible; nominal connection: DN 50

Siphon housing with integrated water seal of 50 mm to block odor from sewer; material drain plug: polypropylene (PP), ABS material siphon: polypropylene (PP)

360° rotatable outlet for easy alignment with the drainage pipe; suitable for Ø 50 mm waste pipes (can be shortened to Ø 40 mm)

Standard 50 mm	
Min. installation height	80 mm
Drainage capacity	up to 57 l/min



RainTurn




Slope profile

Application left or right
side and adjustable

Length: 1200 mm

Slope, 2%




Maximum height:
34 mm

Material: Stainless
Steel 304 (1.4301).
Can be shortened
on site.

Wall profile

Adjustable profile


Length: 1200 mm





Maximum height:
34 mm

Material: Stainless
Steel 304 (1.4301).
Can be shortened
on site.

Slope profile




Wall profile







uBox universal



Easy Clean Siphon




High Drainage Capacity



Water Damage Protection




uBox universal
Base set for finish sets
for standard installation
01001180



uBox universal
Base set for finish sets
for flat installation
01000180




uBox universal
Base set for finish sets
for vertical installation
01002180



Complete set
for standard installation -
for shower drains finish sets

# 56022180	600
# 56023180	700
# 56024180	800
# 56025180	900
# 56026180	1000
# 56027180	1200



Complete set
for flat installation -
for shower drains finish sets

# 56016180	600
# 56017180	700
# 56018180	800
# 56019180	900
# 56020180	1000
# 56021180	1200



RainDrain Flex



-  Chrome 000
-  Brushed Bronze 140
-  Brushed Black Chrome 340
-  Matt Black 670
-  Matt White 700
-  Brushed Stainless Steel 800

-  Polished Gold Optic 990

-  Dryphon
-  QuickClean
-  Resizable Cover Length
-  Three-sided Installation
-  Two-sided Installation



RainDrain Flex


Finish set shower drain cuttable

- # 56043XXX 700
- # 56044XXX 800
- # 56045XXX 900
- # 56046XXX 1000
- # 56047XXX 1200
- 
- # 56261800 1600
- 

RainDrain Flex

Finish set shower drain cuttable for wall mounting

- # 56050XXX 700
- # 56051XXX 800
- # 56052XXX 900
- # 56053XXX 1000
- # 56054XXX 1200
- 
- # 56262800 1600
- 



uBox universal

Base set for finish sets for standard installation
01001180



uBox universal

Base set for finish sets for flat installation
01000180



uBox universal

Base set for finish sets for vertical installation
01002180



RainDrain Match



-  Matt Black 670
-  Matt White 700
-  Brushed Stainless Steel 800


-  Adjustable Frame Height
-  Dryphon
-  QuickClean
-  In-floor Installation
-  One-sided Installation



RainDrain Match


Finish set shower drain with height adjustable frame

- # 56036XXX 600
- # 56037XXX 700
- # 56038XXX 800
- # 56040XXX 900
- # 56041XXX 1000
- # 56042XXX 1200
- 



Complete set for standard installation - for shower drains finish sets

- # 56022180 600
- # 56023180 700
- # 56024180 800
- # 56025180 900
- # 56026180 1000
- # 56027180 1200



Complete set for flat installation - for shower drains finish sets

- # 56016180 600
- # 56017180 700
- # 56018180 800
- # 56019180 900
- # 56020180 1000
- # 56021180 1200



RainDrain Rock



Dryphon



In-floor Installation



Resizable Cover Length




Two-sided Installation



RainDrain Rock


Finish set shower drain
cut on size and tileable

# 56029000	700
# 56030000	800
# 56031000	900
# 56032000	1000
# 56033000	1100
# 56034000	1300



Complete set
for standard installation –
for shower drains finish sets

# 56022180	600
# 56023180	700
# 56024180	800
# 56025180	900
# 56026180	1000
# 56027180	1200



Complete set
for flat installation –
for shower drains finish sets

# 56016180	600
# 56017180	700
# 56018180	800
# 56019180	900
# 56020180	1000
# 56021180	1200



RainDrain Allround



Brushed Stainless Steel
800



Easy Clean Siphon



QuickClean



In-floor Installation



RainDrain Allround

Complete set shower drain
for standard/flat installation

# 56186800	700
# 56187800	800
# 56188800	900
# 56189800	1000
# 56190800	1200





RainDrain Compact, Go



- Matt Black
670
- Brushed Stainless Steel
800

- Easy Clean Siphon
- QuickClean
- In-floor Installation



RainDrain Compact

Complete set shower drain set for flat installation

56162800 600
56164800 700
56166800 800
56168800 900
56170800 1000
56172800 1200



RainDrain Compact

Complete set shower drain tileable for flat installation

56163000 600
56165000 700
56167000 800
56169000 900
56171000 1000
56173000 1200



RainDrain Compact

Complete set shower drain for standard installation

56174800 600
56176800 700
56178800 800
56180800 900
56182800 1000
56184800 1200



RainDrain Compact

Complete set shower drain for standard installation

56175000 600
56177000 700
56179000 800
56181000 900
56183000 1000
56185000 1200



RainDrain Go

Complete set shower drain tileable rear cover for standard/flat installation

56270XXX 500
56271XXX 600
56272XXX 700
56273XXX 800
56274XXX 900
56275XXX 1000
56276XXX 1200



RainDrain Spot, Spot Plus, Brilliance, Point



- Matt Black
670
- Brushed Stainless Steel
800

- Adjustable Frame Height
- Easy Clean Siphon
- QuickClean
- In-floor Installation



RainDrain Spot

Complete set point drain 150/150

5605800



RainDrain Spot

Complete set point drain 150/150 tileable rear cover

56112800



RainDrain Spot Plus

Complete set point drain 150/150 with height adjustable frame

56225800



RainDrain Spot Plus

Complete set point drain 150/150 with height adjustable frame and tileable rear cover

56226800



RainDrain Brilliance

Complete set point drain 100/100 tileable rear cover

56250XXX



Complete set point drain 150/150 tileable rear cover

56251XXX



RainDrain Point

Complete set point drain 100/100

56246800



RainDrain Point

Complete set point drain 100/100 tileable rear cover


56247XXX



RainDrain Point

Complete set point drain 150/150

56248800



RainDrain Point

Complete set point drain 150/150 tileable rear cover

56249XXX





RainDrain Staro



-  Chrome
000
-  Brushed Bronze
140
-  Brushed Black Chrome
340
-  Matt Black
670
-  Matt White
700
-  Polished Gold Optic
990



RainDrain Staro
Finish set waste set
for shower tray
60058XXX




RainDrain Staro
Basic set for waste set
for shower tray
60090180




RainDrain Staro
Complete set waste set
for shower tray
60057000




RainDrain Board, RainTurn



-  Stainless Steel
000
-  Matt Black
670



RainDrain Board
Tileable shower element
1000/1000 with installation set
56256000



uBox universal
Base set for finish sets
for standard installation
01001180



RainTurn
Slope profile with left or right
side connection, adjustable
56158XXX






RainTurn
Wall profile adjustable
56161XXX


Tubset universal

One basic set for all uses



Exafill and Flexaplus: Stylish drain kits for the bath tub



With Exafill, the bath filler can be seamlessly set from a quiet spray to one that creates lots of foam. The variable spray angle elevates customer convenience to a whole new level.



This intuitive push-open waste is pushed down to seal in the bath water and pushed again to open the waste and allow the water to flow away.



The removable odor trap provides access for cleaning and maintenance.

Drain and overflow in many colours

A versatile range of waste and overflow systems, with or without an integrated bath filler, designed for efficient specification and installation. Available in FinishPlus surfaces to coordinate seamlessly with the overall bathroom design.

Exafill or Flexaplus – what's the difference?

Exafill is a bath filler, waste and overflow. The temperature and water flow are regulated using a separate (concealed) mixer. **Flexaplus** is a waste and overflow set, that is a great choice if the bath tub is filled with a separate bath filler.





Product name	Exafill	Flexaplus
Type	Overflow with bath filler and push-open waste set	Overflow and push-open waste set
Finish		
Waste outlet	Ø 52 mm (bathtubs)	Ø 52 mm (bathtubs)
Connection	G ½	—
Drainage capacity	64 l/min (accumulation height 300 mm)	64 l/min (accumulation height 300 mm)
Overflow capacity	36 l/min (accumulation height 60 mm above centre of overflow hole)	36 l/min (accumulation height 60 mm above centre of overflow hole)
Parts to order	Complete Set or Basic set + Finish set separately	Complete Set or Basic set + Finish set separately
Materials	Polypropylene (PP), ABS	Polypropylene (PP), ABS


Exafill, Flexaplus



Watch installation video!



	Capacity	Accumulation height
Drainage capacity	64 l/min	300 mm
Overflow capacity	36 l/min	60 mm (above centre of overflow hole)





Exafill: winner of the
iF Design Award.



Tubset universal, Exafill, Flexaplus



-  Chrome
000
-  Brushed Bronze
140
-  Brushed Black Chrome
340
-  Matt Black
670
-  Matt White
700
-  Polished Gold Optic
990
-  Select



Tubset universal
Basic set for waste and overflow set
for bathtubs
58152180



Exafill
Finish set bath filler,
waste and overflow set
58119XXX




Exafill
Finish set chrome bath filler,
waste and overflow set
58131000




Exafill
Complete set bath filler,
waste and overflow set
for bathtub
58130000




Flexaplus
Finish set waste
and overflow set
58187XXX




Flexaplus
Finish set chrome waste
and overflow set
58188000




Flexaplus
Complete set waste and
overflow set for bathtub
58154000



iFrame universal

The total concept
for the toilet



On a modern toilet the ceramics, flush plate and concealed flush system should all go together perfectly. hansgrohe offers an optimally aligned flush system from a single source. The iFrame universal pre-wall system, hansgrohe toilets and flush plates are in perfect harmony – helping to reduce the risk of flooding.

The smart solution behind the wall – installation and ordering made easy




Toilets and Shower Toilet



LavaPura Element

Gently cleans. Naturally with water.

Trust in the cleaning power of water. And our expertise. Impress your customers with LavaPura Element, the modern hansgrohe shower toilet which combines maximum convenience and intuitive design – for incomparable wellbeing and hygiene coupled with enhanced bathroom design.




You'll love how easy it is to install the LavaPura Element.



EluPura and EluPura Original

Elegant, high-quality and stylish in every detail

These toilets and bidets round off the modern bathroom and please discerning design fans. The hidden wall mounting creates a seamless appearance perfect for rooms with a minimalist design. There is also the option to give all hansgrohe toilets a further upgrade, with comfort features such as SoftClose and QuickRelease as well as special glazes to make the toilet even more hygienic.



EluPura Original Toilets are openly accessible to make installation easy.

iFrame Flush plates



iFrame Element E

iFrame Element

A visual highlight

With its appealing design based on the simplicity of a light switch, iFrame Element E combines aesthetics with clever functions. Available in all FinishPlus finishes, the design blends in seamlessly with any hansgrohe bathroom. The high-quality metal is impressively durable with a premium look and feel. What's more, iFrame Element E is convenient to operate – even with an elbow!

Finishes

-  Chrome 000
-  Brushed Bronze 140
-  Brushed Black Chrome 340
-  Matt Black 670
-  Matt White 700
-  Polished Gold Optic 990



iFrame Original Q

iFrame Original

Stylish harmony


The durable high-quality plastic iFrame Original flush plates combine timeless design and functionality. The Matt White and Matt Black FinishPlus finishes help iFrame Original S and Q to create a harmonious look as well as subtle and stylish accents in any hansgrohe bathroom.

Finishes

-  Chrome 000
-  White 450
-  Matt Black 670
-  Matt White 700



iFrame Original S



LavaPura Element offers plenty of practical functions without overloading the room with technology. The timeless, universal shape blends into any bathroom, regardless of style and size.





iFrame



-  Chrome
000
-  Brushed Bronze
140
-  Brushed Black Chrome
340
-  White
450
-  Matt Black
670
-  Matt White
700

-  Polished Gold Optic
990



iFrame universal
Concealed cistern 1120
for wall hung WC
01022180



iFrame Element E
Flush plate for dual flush
66003XXX




iFrame Original S
Flush plate for dual flush
66002XXX




iFrame Original Q
Flush plate for dual flush
66001XXX




LavaPura Element



-  White
450
-  AquaHelix Flush
-  Auto Open
-  HygieneEffect
-  Odor Extraction
-  Seat Heating

-  User Profiles
-  Warm Air Dryer
-  UV Disinfection
-  SmartClean
-  QuickRelease
-  SoftClose

-  Night light
-  LadyWash
-  Oscillation
-  Pulsation
-  RearWash



LavaPura Element S
Wall hung shower toilet Set
AquaHelix Flush, SmartClean,
HygieneEffect
63021450




EluPura



White
450



AquaFall Flush



SoftClose



AquaHelix Flush



HygieneEffect



Made to fit
NoiseReduction



QuickRelease



SmartClean



EluPura S

Wall hung WC Set
AquaHelix Flush, HygieneEffect
with WC seat and cover with
SoftClose and QuickRelease,
Slim
62025450

○
Wall hung WC Set
AquaHelix Flush, SmartClean
with WC seat and cover with
SoftClose and QuickRelease,
Slim
61115450

○
Wall hung WC Set
AquaHelix Flush with WC
seat and cover SoftClose
and QuickRelease,
Slim
60344450

○



EluPura S

Wall hung WC Set
AquaHelix Flush, HygieneEffect
with WC seat and cover with
SoftClose and QuickRelease
62055450

○
Wall hung WC Set
AquaHelix Flush, SmartClean
with WC seat and cover with
SoftClose and QuickRelease
61186450

○



EluPura S

Wall hung WC Set
AquaFall Flush, HygieneEffect
with WC seat and cover with
SoftClose and QuickRelease
62021450

○
Wall hung WC Set
AquaFall Flush, SmartClean
with WC seat and cover with
SoftClose and QuickRelease
61119450

○
Wall hung WC Set
AquaFall Flush with WC seat
and cover with SoftClose
and QuickRelease
60292450

○



EluPura S

Wall hung WC
AquaHelix Flush, HygieneEffect
62024450

○
Wall hung WC
AquaHelix Flush, SmartClean
61114450
○
Wall hung WC
AquaHelix Flush
60343450

○



EluPura S

Wall hung WC
AquaFall Flush, HygieneEffect
62020450

○
Wall hung WC
AquaFall Flush, SmartClean
61118450
○
Wall hung WC
AquaFall Flush
60193450

○



EluPura S

Floorstanding WC
close coupled back to wall
with horizontal/vertical outlet
AquaFall Flush, HygieneEffect
62034450

○
Floorstanding WC
close coupled back to wall
with horizontal/vertical outlet,
AquaFall Flush, SmartClean
61163450

○
Floorstanding WC
close coupled back to wall
with horizontal/vertical outlet
AquaFall Flush
60260450

○



EluPura S

Wall hung Bidet 540
with tap hole and overflow,
HygieneEffect
62043450

○
Wall hung Bidet 540
with tap hole and overflow,
SmartClean
61169450

○
Wall hung Bidet 540
with tap hole and overflow
60278450

○



EluPura S

WC seat and cover
with SoftClose and
QuickRelease, Slim
60200450

○



EluPura S

WC seat and cover
with SoftClose and
QuickRelease
60197450

○
WC seat and cover
with QuickRelease
60196450

○



EluPura



EluPura Q

Wall hung WC Set
AquaFall Flush, HygieneEffect
with WC seat and cover with
SoftClose and QuickRelease
62023450



Wall hung WC Set
AquaFall Flush, SmartClean
with WC seat and cover with
SoftClose and QuickRelease
61117450



Wall hung WC Set
AquaFall Flush with WC seat
and cover with SoftClose
and QuickRelease
60293450



EluPura Q

Wall hung WC
AquaFall Flush, HygieneEffect
62022450



Wall hung WC
AquaFall Flush, SmartClean
61116450



Wall hung WC
AquaFall Flush
60194450



EluPura Q

Floorstanding WC
close coupled back to wall
with horizontal/vertical outlet
AquaFall Flush, HygieneEffect
62036450



Floorstanding WC
close coupled back to wall
with horizontal/vertical outlet
AquaFall Flush, SmartClean
61164450



Floorstanding WC
close coupled back to wall
with horizontal/vertical outlet
AquaFall Flush
60263450



EluPura Q

Wall hung Bidet 540
with tap hole and overflow,
HygieneEffect
62044450



Wall hung Bidet 540
with tap hole and overflow,
SmartClean
61170450



Wall hung Bidet 540
with tap hole and overflow
60280450



EluPura Q

WC seat and cover
with SoftClose and
QuickRelease
60199450



WC seat and cover
with QuickRelease
60198450





EluPura Original



White
450



AquaChannel Flush



SoftClose



HygieneEffect



Made to fit
NoiseReduction



Made to fit
NoiseReduction



QuickRelease



SmartClean



EluPura Original S

Wall hung WC Set
AquaChannel Flush
HygieneEffect with WC
seat with SoftClose and
QuickRelease
62050450

○
Wall hung WC Set
AquaChannel Flush, SmartClean
with WC seat with SoftClose
and QuickRelease
61180450

○
Wall hung WC Set
AquaChannel Flush with WC
seat and cover with SoftClose
and QuickRelease
60288450

○
Wall hung WC Set
AquaChannel Flush with WC
seat and cover
60207450

○



EluPura Original S

Wall hung WC
AquaChannel Flush,
HygieneEffect
62016450

○
Wall hung WC
AquaChannel Flush,
SmartClean
61178450

○
Wall hung WC
AquaChannel Flush
60142450

○



EluPura Original S

Wall hung Bidet 540
with tap hole and overflow,
HygieneEffect
62045450

○
Wall hung Bidet 540
with tap hole and overflow,
SmartClean
61171450

○
Wall hung Bidet 540
with tap hole and overflow
60281450

○



EluPura Original S

Floorstanding WC Set
with horizontal outlet,
AquaChannel Flush
HygieneEffect with tank
and WC seat and cover with
SoftClose and QuickRelease
62040450

○
Floorstanding WC Set
with horizontal outlet
AquaChannel, Flush
SmartClean with WC
seat and cover with SoftClose
and QuickRelease and tank
side inlet
61166450

○
Floorstanding WC Set
with horizontal outlet,
AquaChannel Flush with WC
seat and cover with tank side
inlet
60267450

○



EluPura Original S

Floorstanding WC Set
close coupled with horizontal/
vertical outlet AquaChannel
Flush with tank and WC seat
and cover with SoftClose and
QuickRelease
60346450

○
Floorstanding WC Set
close coupled with vertical/
horizontal outlet, AquaChannel
Flush with tank and WC seat
and cover
60205450

○



EluPura Original S

Floorstanding WC
close coupled with horizontal
outlet AquaChannel Flush,
HygieneEffect
62038450

○
Floorstanding WC
close coupled with horizontal
outlet, AquaChannel Flush,
SmartClean
61165450

○
Floorstanding WC
close coupled with horizontal
outlet AquaChannel Flush
60265450

○



EluPura Original S

Floorstanding WC
close coupled back to wall
with horizontal/vertical
outlet, AquaChannel Flush,
HygieneEffect
62012450

○
Floorstanding WC
close coupled back to wall
with horizontal/vertical
outlet AquaChannel Flush,
SmartClean
61176450

○
Floorstanding WC
close coupled back to wall
with horizontal/vertical outlet
AquaChannel Flush
60135450

○



EluPura Original S

Urinal with rear water supply
and bottom/rear outlet rimless,
HygieneEffect
62048450

○
Urinal with rear water supply
and bottom/rear outlet rimless,
SmartClean
61174450

○
Urinal with rear water supply
and bottom/rear outlet rimless
60286450

○



EluPura Original S

Urinal with top water supply
and bottom/rear outlet rimless,
HygieneEffect
62049450

○
Urinal with top water supply
and bottom/rear outlet rimless,
SmartClean
61175450

○
Urinal with top water supply
and bottom/rear outlet rimless
60287450

○



EluPura Original S

WC seat and cover
with SoftClose and
QuickRelease
60148450

○
WC seat and cover
60147450

○



EluPura Original



EluPura Original Q

Wall hung WC Set
AquaChannel Flush,
HygieneEffect with WC
seat and cover with SoftClose
and QuickRelease
62051450



Wall hung WC Set
AquaChannel Flush SmartClean
with WC seat and cover with
SoftClose and QuickRelease
61182450



Wall hung WC Set
AquaChannel Flush with WC
seat and cover with SoftClose
and QuickRelease
60289450



Wall hung WC Set
AquaChannel Flush with WC
seat and cover
60208450



EluPura Original Q

Wall hung WC
AquaChannel Flush,
HygieneEffect
62018450



Wall hung WC
AquaChannel Flush,
SmartClean
61181450



Wall hung WC
AquaChannel Flush
60145450



EluPura Original Q

Wall hung Bidet 540
with tap hole and overflow,
HygieneEffect
62046450



Wall hung Bidet 540
with tap hole and overflow,
SmartClean
61172450



Wall hung Bidet 540
with tap hole and overflow
60284450



EluPura Original Q

Floorstanding WC Set
close coupled with vertical/
horizontal outlet, AquaChannel
Flush with tank and WC seat
and cover
60206450



EluPura Original Q

Floorstanding WC
close coupled back to wall
with horizontal/vertical
outlet AquaChannel Flush,
HygieneEffect
62014450



Floorstanding WC
close coupled back to wall
with horizontal/vertical
outlet, AquaChannel Flush,
SmartClean
61177450



Floorstanding WC
close coupled back to wall
with horizontal/vertical outlet,
AquaChannel Flush
60137450



EluPura Original Q

Urinal 600/300
with rear water supply and
bottom/rear outlet rimless,
HygieneEffect
62010450



Urinal 600/300
with rear water supply and
bottom/rear outlet rimless,
SmartClean
61183450



Urinal 600/300
with rear water supply and
bottom/rear outlet rimless
60127450



EluPura Original Q

Urinal 600/300
with top water supply and
bottom/rear outlet rimless,
HygieneEffect
62011450



Urinal 600/300
with top water supply and
bottom/rear outlet rimless,
SmartClean
61184450



Urinal 600/300
with top water supply and
bottom/rear outlet rimless
60128450



EluPura Original Q

Urinal division
60173450



EluPura Original Q

WC seat and cover
with SoftClose and
QuickRelease
60150450



WC seat and cover
60149450



EluPura Original Q

Tank with bottom water supply
60141450



Tank side inlet
60271450



Intelligent technologies that make hansgrohe a good choice

Starting off cool saves energy

CoolStart

Energy-saving CoolStart mixers only allow hot water to flow when the lever is moved sideways – whereas standard mixers immediately consume energy when the handle is opened in the basic position. CoolStart helps avoid unintentional, unnecessary hot water use. Once hot water is intentionally selected and mixed in, no additional energy savings are generated by the technology itself. This soon mounts up for households, but even more so in hotels and the public sector.



Find out more about
CoolStart!





EcoSmart technology: Sense a lot, save a lot

EcoSmart

EcoSmart showers use up to 40 % less water than standard hansgrohe showers. And it's as much as 60 % with EcoSmart+. Many EcoSmart showers therefore only consume 8 l/min* – or just 6 l/min* or less with EcoSmart+. EcoSmart lavatory mixers reduce water consumption to around 5 l/min*, while EcoSmart+ mixers consume as little as 4 l/min*.



*Find out more about EcoSmart!

Evens out pressure and simplifies cleaning

FlexPower

FlexPower ensures consistent performance and powerful water sprays at low or fluctuating pressure. The flexible Flex nozzles in the spray disc are shaped like a clover leaf and ensure the pressure evens out through constant dynamic movements. This also allows less limescale to accumulate, which can further reduce the need for cleaning.



Technologies and spray modes

Water control



SafetyStop

Safety lock at over 40 °C – temperature limit, which prevents excessively hot water from escaping.



Select

A playful way to control the water flow, shower or spray type at the simple touch of a button.



Thermostat

Thermostat with integrated temperature control for constant water temperature.



Water Flow Control

Actively regulate water consumption – the amount of water can be adjusted using the control dial.

Drainage and overflow systems



Adjustable Frame Height

The frame is used to easily bring the shower drain to tile level, creating a perfect finish.



Dryphon

An improved waterless siphon with a high drainage capacity of 60 l/min and minimal cleaning effort.



Easy Clean Siphon

The odor trap itself can be removed for cleaning, even once the drain has been installed.



High Drainage Capacity

Large overhead showers require a high drainage capacity. This siphon manages up to 60 l/min.



QuickClean

Easy cleaning of the shower drain: remove the cover with grate removal tool and remove all dirt and residue.



Resizable Cover Length

This shower drain can be easily shortened on site so that it fits in any type of shower area.



Water Damage Protection

The high-quality installation set features a pre-assembled seal and is 100% waterproof.



In-floor Installation

Shower drain that is suitable for free in the floor installation in any type of shower area.



One-sided Installation

Shower drain that is suitable for wall installation in any type of shower area – chic and reliable.



Two-sided Installation

An appealing and reliable drainage solution. This shower drain is installed between two walls.



Three-sided Installation

Shower drain that is suitable for wall installation between two side walls in any type of shower area.

Shower toilet



AquaHelix Flush

Water vortex technology that cleans the inner bowl of the toilet powerfully yet quietly.



Auto Open

For increased comfort and hygiene, the toilet lid opens and closes automatically via a sensor.



HygieneEffect

Thanks to this high-quality glaze, bacteria can be reduced on the surface of the product (test conducted according to JIS Z 2801:2010). For more hygiene and a good feeling in the bathroom that lasts.



Night light

The nice, safe, night-time guide in the bathroom.



Odor Extraction

Thanks to the odor extraction system under the seat, unpleasant odors in the bathroom are a thing of the past.



QuickRelease

This hinge system is easy to release. For a quick removal of the toilet seat and easy cleaning.



Seat Heating

Integrated seat heating for a cosy warm feeling and more relaxation in the bathroom.



SmartClean

High-quality glaze that prevents dirt particles from adhering to the product. For more hygiene and less cleaning effort.



SoftClose

WC seat and cover close gently and silently – thanks to dampers integrated into the hinges.



UV Disinfection

The shower wand is disinfected by UV light automatically after every use (exclusively *Staphylococcus aureus* (AS 1.89) and *Escherichia coli* (AS 1.90), Test GB/T 23131-2019).



User Profiles

For more convenient use, personal settings can be saved under two user profiles.



Warm Air Dryer

With a temperature that can be set to various levels, the warm air dryer offers even more comfort to perfectly round off the pleasant feeling on the toilet.



LadyWash

Extra gentle rinsing experience with a very soft spray, perfectly tailored to feminine needs.



Oscillation

Moves the spray wand back and forth, providing a comfortable and extra thorough rinsing.



Pulsation

Switches the selected spray mode to massage. For an exceptionally pleasant rinsing experience.



RearWash

Gentle and thorough rinsing with large, air-enriched droplets for maximum comfort, every day.

Toilets, bidets, urinals



AquaChannel Flush

Effective cleaning of the inner bowl activated by powerfully guided water jets.



AquaFall Flush

Powerful cleaning of the inner bowl of the rimless toilet via a symmetrical surge of water.



AquaHelix Flush

Water vortex technology that cleans the inner bowl of the toilet powerfully yet quietly.



HygieneEffect

Thanks to this high-quality glaze, bacteria can be reduced on the surface of the product (test conducted according to JIS Z 2801:2010). For more hygiene and a good feeling in the bathroom that lasts.



Made to fit NoiseReduction

For an easy installation, this product comes with a soundproofing mat matched to its shape.



QuickRelease

This hinge system is easy to release. For a quick removal of the toilet seat and easy cleaning.



SmartClean

High-quality glaze that prevents dirt particles from adhering to the product. For more hygiene and less cleaning effort.



SoftClose

WC seat and cover close gently and silently – thanks to dampers integrated into the hinges.

hansgrohe

Life is waterful.



Simply scan the code to check out
the entire hansgrohe range.

en-EX-Installation technology 2026 · Subject to technical alterations and colour differences due to the printing process.

Headquarters

Hansgrohe SE
P.O. Box 1145
D-77757 Schiltach
Tel. +49 7836 51-0
Fax +49 7836 51-1300
info@hansgrohe.com
www.hansgrohe.com



Discover hansgrohe online and on social media.

All products are subject to availability. Availability may be temporarily impacted by material shortages, supply chain disruptions or other force majeure events. Please contact us for further details.