

WICANDERS

Adhesive recommendation

AMORIM CORK SOLUTIONS



WICANDERS



The recommendations contained in this document are based on the specifications, tests and recommendations of the manufacturers of these adhesives and are merely indicative. The suitability of a given adhesive for the product chosen by the customer will always depend on the method and conditions of the installation site (such as, but not limited to, subflooring conditions, air temperature and humidity). Therefore, notwithstanding these recommendations, the choice of each adhesive lies with the installer and/or end customer and no liability can be attributed to Amorim Cork Solutions in this regard.

The use of a recommended adhesive does not imply any assumption of liability for any claim based on the choice of an unsuitable adhesive for the chosen product or installation site.

Furthermore, Amorim Cork Solutions will not be held responsible for any problems arising from the choice of non-recommended adhesives.

For the technical characteristics and methods of application of the products consult the technical data sheets, product labels, installation instructions and other relevant documents available on each of the producers' websites.

WICANDERS

Product		WICANDERS		WAKOL Anspruch verbindet	
		Adhesive	Tooling	Adhesive	Tooling
WICANDERS	dekwall	W240	Roller	D 3540	Roller
	cork Pure				
	cork Go	-	-	MS 228, MS 230, MS 260, MS 262, MS 290, MS 552, PU 210, PU 215,PU 220, PU 225	B3, B5, B11
	cork Essence				
	wood Go				
	wood Natural				



WICANDERS

Product		Bostik smart adhesives						
		Benelux	Balkans	Germany	France	Nordics	Poland	
		Adhesive						Tooling
WICANDERS	dekwall	Contact N525 Multi (Solvent based)	Contact N525 Multi (Solvent based)	Contact A950 Eco (Water based Contact)	Contact A980 Eco Plus (Water based Contact) Contact N525 Multi (Solvent based)	Contact 31 (Water based Contact)	Contact N726 (Solvent based)	Spatule n°A2, 250 g/m² or Mohair roller
	cork Pure							
	cork Go	Stix A800, Miplafix 800, Sadertech V8, Technimang Stix A300, Miplafix 300, Sadertac V6, Polymang SM Wood H 550 Eco Plus						Spatule n°A2, 250 g/m²
	cork Essence							
	wood Go							
	wood Natural							



WICANDERS



Product		Adhesive	Tooling
WICANDERS	cork Go	KE 68, MK 250, MK 200	-
	cork Essence		
	wood Go		
	wood Natural		
	stone Natural		



WICANDERS

Product			
		Adhesive	Tooling
	cork Pure	Ultrabond Eco Contact Adesilex VZ (Solvent Based) Adesilex LP (Solvent Based)	Roller, TKB A1-A2 , MAPEI 1, V1
	dekwall	Ultrabond Eco Contact Adesilex VZ (Solvent Based) Adesilex LP (Solvent Based)	Roller, TKB A1-A2 , MAPEI 1, V1
	cork Go	Ultrabond Eco V4 SP* Ultrabond Eco V4 Evolution* Ultrabond Eco 4 LVT* Ultrabond Eco VS90 PLUS* Ultrabond Eco MS 4 LVT WALL*	TKB A2, MAPEI 1, V1
	cork Essence		
	wood Go		
	wood Natural		



WICANDERS

Product		SOUDAL	
		Adhesive	Tooling
WICANDERS	cork pure	140 LQ contact glue, 180AQ Aqueous Contact Glue	Roller or brush
	dekwall		
	cork Go	Glue MS 30P, MS Polymer Parquet Glue, T-Rex Floor & Wall	Spatula B11
	cork Essence		
	wood Go		
	wood Natural		



WICANDERS

Amorim Cork Solutions, S.A.


Rua Comendador Américo Ferreira Amorim, 260

4535-186 Mozelos – Portugal

T. +351 22 747 53 00

E. mail.acs@amorim.com

wicanders.com



64089MT - INT | JUN2026

AMORIM CORK SOLUTIONS

